Approved For Release 2001/03/03 : CIA-RDP78-06501A000300040009-5

DOOR & HDWE SCHEDULE

Door Type

A.	Private Office	:	Hollow wood door and metal frame 3'0"x6'8" (or 3'4" if noted) push button privacy latch.
B.	Barrier Door	:	B label 1 1/2 hr. door and frame 3'0"x6'8"; automatic closer, simplex digital lock with electric strike release, buzzer, passage latch, non-removable hinges.
C.	Office Entry	:	Solid wood door metal frame 3'0"x 6'8", key lock, privacy button, autocloser.
D.	Mechanical Rooms	:	B label 1 1/2 hr. door and frame, key access only, automatic closer.
E.	Exit Only	:	B label door and frame 3'4"x6'8"; push release automatic closer, contact alarm.
F.	Dark Room Door	:	Special revolving door
G.	Storage/Work Area	:	Solid wood doors, metal frame 5'0" opening, 2'0" leaf fixed head and floor bolts, 3'0" leaf same as type A door.
H.	Bldg Entry	:	Aluminum and glass, metal frame 6'0" opening, panic bars, locks, automatic closer, contact alarm.
S.	Stairs	:	B label 1 1/2 hr. door and frame, passage latch, automatic closer.
T.	Toilets	:	Standard door and hardware.
V.	Vault	:	Class 5 vault door Fed. Spec. AA-D-600B key change combination lock.

Approved For Release 2001/03/03 : CIA-RDP78-06501A000300040009-5